Eurofins Polska Sp. z.o.o.
ul. Dubois 118D
93-465 Lodz
POLAND
Tel: Not available

Analytical report AR-26-E8-131713-01

Sample code 297-2026-00195195

Issue date 06.10.2026

	Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x	**Type of sample**	ALLNUTRITION ALLDEYNN OMEGAROSE 60 kap 005-32419-4004038
x	**Prescriber**	SFD S.A.
x	**Purchase order date**	21.09.2026
	Transport by	Eurofins sample taker
x	**Sampling Person**	principal
x	**Purpose of the testing**	not specified
x	**Type of sampling**	to guarantee its representativeness
	Reception date	23.09.2026
x	**Batch number**	AD260909
x	**Packaging**	manufacturer packaging
	Sample condition	acceptable
	Transport condition	at ambient temp.
	Number of tested samples	1
x	**Client sample code**	Nowa próbka 17
	Start analysis	25.09.2026
	End Analysis	05.10.2026

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
JK04T	Peroxide value (#)	§ 64 LFGB L 13.00-40:2012-01, Potentiometry	0 ,9	meqO2/kg	± 0.3

\# = Not accredited
A = Accredited method
x = Data provided by the customer

Details of laboratory accreditation:
JK04T: Eurofins Analytik GmbH 0001: (Not accredited)

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; k=2). The measurement uncertainty does not take into account the sampling step.

Wiktoria Tomecka-Orzel

Approved by Wiktoria Tomecka-Orzel
Junior Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form <y or >y (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.